Wunderlich
FIREPLACE SURROUNDS
OF GLAZED TERRA-COTTA

Pam Box
691
WUN
Terra-cotta products

Beautiful Firesides

for THE MODERN HOME

Wunderlich Terra-Cotta Fireplace Surrounds are in harmony with the colour and design requirements of the modern home. The colour of the glaze finish is a mottled buff-cream that is easy to keep clean. The surrounds are available to suit open fireplaces, gas fires, slow combustion and "Wonderheat" stoves, as shown by the illustrations in this booklet.

FIXING: The glazed Terra-Cotta blocks are applied as a surround to a brick or concrete background with cement mortar. When proceeding to fix them in position, first lay the blocks on the floor (allow an $\frac{1}{8}$" wide joint) and determine the overall width of the surround. Then thoroughly wet the background and the backs of the blocks and, as each is placed in position, fill in behind with a mixture of one part of cement and three parts of clean sand. Tamp the cement mixture firmly with a rod to ensure that all voids are filled. Alternatively, the cement mixture may be "buttered" over the whole back of the block before setting in position. Provide support under the lintel blocks until the cement has "set." Neatly fill all joints with a coloured mortar that matches the colour of the glaze. From the viewpoint of the finished appearance, it is important that the blocks are fixed perfectly straight and level, and that all joints are an even $\frac{1}{8}$" in width. Where chimney breasts project a half brick from the wall face, $4\frac{1}{2}$" wide infilling blocks are available for finishing at each side of surround, as typically illustrated by Design No. 7. These infilling blocks are supplied on request only with any surround.

In the case of open fireplaces, it is normal to line the back, cheeks and inner hearth with small wire-cut brickettes $6\frac{1}{2}$" x $1\frac{1}{4}$" x 3". Use the brickettes on edge to form the hearth, as shown by the illustrations.

Wunderlich Ceramic Wall Tiles, 10" x 10" x 1" thick, form an effective and easy-to-clean outer hearth for gas fires, slow combustion, and "Wonderheat" stoves, as well as for open fireplaces; Designs Nos. 7, 8 and 9 illustrate their appearance when used for this purpose.

Note.—The timber mantel-shelf is not included with the surround.

A PRODUCT OF THE CERAMIC DIVISION OF

WUNDERLICH LIMITED

MANUFACTURERS OF BUILDING MATERIALS

SYDNEY • MELBOURNE • ADELAIDE • NEWCASTLE
BRISBANE • HOBART • LAUNCESTON

T.C.13 1-1-50 S. T. Leigh & Co. Pty. Ltd., Sydney



DESIGN No. 6

Of medium size, this Fireplace Surround is suitable for installation in rooms of average size.

Height to underside of mantel, 3' $4\frac{3}{8}$"

Width (overall) ..... 5' $7\frac{1}{2}$"

Timber mantel-shelf not included.



Wunderlich
FIREPLACE SURROUNDS of GLAZED TERRA-COTTA



DESIGN No. 7

This design is suitable for rooms of average size. Note also the infilling blocks at sides of the Surround and the Wunderlich Ceramic Tile hearth. The latter are available for use with all Surrounds where the chimney breast projects half a brick from the wall face and are supplied on request only.

Height to underside of mantel, 3' 4½"
Width (overall) ..... 5' 2½"

Timber mantel-shelf not included.



Wunderlich
FIREPLACE SURROUNDS of GLAZED TERRA-COTTA











DESIGN No. 8

A Surround for rooms of larger than average size, this design is illustrated on the front page of booklet.

Height to underside of
Mantel ..... 3' 7¾"
Width (overall) ..... 6' 6⅝"
Timber mantel-shelf not included.

Wunderlich
FIREPLACE SURROUNDS of GLAZED TERRA-COTTA



DESIGN No. 9

A Surround that accommodates most of the various types of gas fires available to-day; namely, "Little Aston," "Fantasia," "Symphonie," "Elegie," "Standard" (Ember), "Serene" (from 5 to 7 radiants).

Height to underside of mantel ..... 3' $4\frac{3}{8}$"

Width (overall) ..... 3' $10\frac{1}{4}$"

Timber mantel-shelf not included.





Wunderlich
FIREPLACE SURROUNDS of GLAZED TERRA-COTTA



DESIGN No. 10

Slow combustion stoves of usual types ("Kosi," "Esse," etc.), and sizes can be used with this Surround.

Height to underside of mantel ..... 3' $4\frac{3}{8}$"

Width (overall) ..... 3' $10\frac{1}{4}$"

Timber mantel-shelf not included.





Wunderlich
FIREPLACE SURROUNDS of GLAZED TERRA-COTTA

HISTORIC HOUSES TRUST,
"LYNDHURST",
61 DARGHAN STREET,
GLEBE, 2037



NOTE: ADOPT ¼" JOINTS
WHEN FIXING THIS DESIGN

DESIGN No. 11

For use with "Wonderheat" stove — inbuilt type, Design No. 2.

Height to underside of mantel:

II ..... 3' 5"

Width (overall) ..... 4' 8¾"

Timber mantel-shelf not included.



Wunderlich
FIREPLACE SURROUNDS of GLAZED TERRA-COTTA